



10/042459

cgc

Attorney Docket No.: 50124/01301

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : Rapoport et al.
Patent No. : 6,988,994 B2
Issue Date : January 24, 2006
For : Positive Airway Pressure System and Method for
Treatment of Sleeping Disorder in Patient
Group Art Unit : 3736
Examiner : Navin Natnithithadha


Certificate
FEB 14 2006
of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate of Mailing

I hereby certify that this correspondence is being
deposited with U.S. Postal Services as first class
mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

By:  Date: February 6, 2006
Oleg F. Kaplun (Reg. No. 45,559)

TRANSMITTAL

Transmitted herewith please find a Request for a Certificate of Correction and PTO Form
SB/44 for filing in the above-identified application. No fees are believed to be required.
However, if fees are required, please charge the Deposit Account of **Fay Kaplun & Marcin,**
LLP, No. 50-1492. A copy of this Transmittal is included for this purpose.


Respectfully submitted,

Dated: February 6, 2005

By: 
Oleg F. Kaplun (Reg. No. 45,559)

Fay Kaplun & Marcin, LLP
150 Broadway, Suite 702
New York, NY 10038
Tel: (212)619-6000
Fax: (212)619-0276

FEB 15 2006



Attorney Docket No.: 50124/01301

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : Rapoport et al.
Patent No. : 6,988,994 *B2*
Issue Date : January 24, 2006
For : Positive Airway Pressure System and Method for
Treatment of Sleeping Disorder in Patient

Group Art Unit : 3736
Examiner : Navin Natnithithadha

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

The Patentee's Assignee hereby requests the Commissioner to issue a Certificate of Correction pursuant to 35 U.S.C. 254 to correct the following mistakes in the above-identified patent which resulted through the USPTO error:

Please amend the following claims to read as follows:

Column 8, line 51:

"patient wing a positive airway pressure" should be "patient using a positive airway pressure"

Column 8, line 61:

"and one of (iii) a REM sleep state" should be "(iii) a REM sleep state "

FEB 15 2006

Column 9, line 6:

"A method fbr treatment" should be "A method for treatment"

Respectfully submitted,

Dated: February 6, 2006

By: 

Oleg F. Kaplun (Reg. No. 45,559)

Fay Kaplun & Marcin, LLP

150 Broadway, Suite 702

New York, NY 10038

Tel: (212)619-6000

Fax: (212)619-0276/208-6819

FEB 15 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,988,994 *B2*
APPLICATION NO.: 10/642,4459
ISSUE DATE : January 24, 2006
INVENTOR(S) : Rapoport et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 51:

"patient wing a positive airway pressure" should appear as follows "patient using a positive airway pressure"

Column 8, line 61:

"and one of (iii) a REM sleep state" should appear as follows "(iii) a REM sleep state"

Column 9, line 6:

"A method fbr treatment" should appear as follows "A method for treatment"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

FAY KAPLUN & MARCIN, LLP
150 Broadway, Suite 702
New York, NY 10038

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

FEB 15 2006

FAY KAPLUN & MARCIN, LLP
150 BROADWAY, SUITE 702
NEW YORK, NY 10038



COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

223131450-50 2033

